



PPC-1561 (wide screen)

15" Industrial panel PC with Intel® 6th Gen CPU/J1900CPU

- Intel® Core /I7-6500U/I5-6300U/I3-6100U/J1900 CPU
- Skylake: onboard 4GB, support up to 20GB
BayTrail: onboard 4GB, support up to 8GB
- 500GB HDD, 2.5" SSD/M-SATA optional
- 15" industrial grade LCD with IP65
- 10-finger multipoint capacitive touch screen
- Support VESA mount and embedded panel mount




Specifications

Display	Screen Size	15.6"
	Resolution	1920 * 1080
	Brightness	300cd/m ²
	Contrast Ratio	700:1
Touch Screen		10-finger capacitive touch screen
System	Processor	Onboard Intel® Core I7-6500U 2.5Ghz/ I5-6300U 2.4GHz/I3-6100U 2.3Ghz
		Onboard Intel® Celeron J1900
	Chipset	Intel Skylake-u
		Intel BayTrail
	Memory	Skylake: Onboard 4GB , support up to 20GB
		BayTrail: Onboard 4GB, support up to 8GB
I/O Interface	LAN	2 x 10/100/1000Mbps LAN ports
	USB	6 x USB (MAX)
	HDMI	1 x HDMI
	VGA	1 x VGA
	COM	4 x COM ports, RS232/485/422 optional (MAX)
	PS/2	1 x PS/2
	Others	1 x 4pin power connector
	Expansions	1 x MiniPCIE slot
Storage	HDD	500GB HDD, 2.5" SSD optional
	M-SATA	1 x MSATA slot
Operating Temperature		0℃ ~ 45℃; Humidity: 5% ~ 90% (non-condensing)
Storage Temperature		-20℃ ~ 65℃; Humidity: 5% ~ 90% (non-condensing)
Front Panel Material		High-strength Al-alloy
Mounting Method		Embedded panel, VESA standard supporting arm
Power Supply		DC24V (9-30V) input or AC 220V power adapter
Dimensions		PPC-1561E: 407mm(W) x 259.3mm(H) x 69.6mm(D)
		PPC-1561H: 407mm(W) x 259.3mm(H) x 81.4mm(D)
Weight		4.95kg




Dimension

PPC-1561E



PPC-1561H



Unit: mm

Ordering Information

Part Number	Model Number	Description
0010-103601	PPC-1561H-01	Intel skylake SOC Chipset/ I3-6100U 2.3GHz /4GB memory/500G HDD/ 4 x COM / 4 x USB /2 x LAN/1 x VGA/1 x HDMI/1 x PS/2/1 x Lin-out/1 x Mic-in/9~30V DC power supply



0010-105811	PPC-1561H-02	Intel skylake SOC Chipset/ I5-6300U 2.4GHz /4GB memory/500G HDD/ 4 x COM/4 x USB /2 x LAN/1 x VGA/1 x HDMI/1 x PS/2/1 x Lin-out/1 x Mic-in/9~30V DC power supply
0010-103591	PPC-1561E-01	Intel BayTrail Chipset/ Celeron J1900 2.0GHz /4GB memory/500G HDD/ 4 x COM/4 x USB /2 x LAN/1 x VGA/1 x HDMI/1 x DVI/1 x PS/2/1 x Lin-out/1 x MIC/9~30V DC power supply