

EIS-2205E


Industrial-grade 2U 19" Rack Mount Server



Features:

- ◆ Intel Xeon E5-2600 and E5-2600V2 CPU, with up to 12-core, 16* DDR3/L memory slot position ,supports up to 512G RDIMM
- ◆ Flexible configuration of DDR3/L memory, supporting up to 1866MHz.
- ◆ Optionally supports single and dual CPU,RAID1/10 and whole RAID function, single and redundant power supply.

Product size chart



Specifications

Product model	EIS-2205E
Dimensions specifications	19" 2U rack mount industrial server
Quantity of CPUs	1 / 2
CPU model	Intel Xeon E5-2600 and E5-2600V2
Chipset	Intel C600 family (C602/604)
Memory	Single CPU supports 8x DDR3 DIMM, supports up to 256GB (a single memory module supports 32GB RDIMM), Dual CPU supports 16x DIMM, supports up to 512GB ,supports RDIMMs/LRDIMMs/ECC UDIMMs slot
Local Storage	8 x hot-swappable 2.5"/3.5" compatible drawable HDD bay at front, onboard 9 x SATA interface and 1x inside 2.5"HDD/SSD
RAID Support	Nonsupport RAID, only supports RAID0/1/10 and RAID1/5 optional
Onboard Network	Onboard 4 x GE network port, 1 x BMC
I/O expansion	Single CPU supports onboard 1 x half-height PCI-E x16 and 1 x half-height PCI-E x8 expansion Dual CPU supports onboard 2 x half-height PCI-E x16 and 4 x half-height PCI-E x8 expansion
Integrated I/O Ports	1 x VGA port, 1 x system information display LCD screen at front(optional) 1 x COM port, 7 x USB port
Management	Onboard BMC, supports IPMI\SOL\KVN Over Ip\Virtual Media
Operation System Support	Windows Server 2008 R2, Windows Server 2012 Red Hat Enterprise Linux6 SUSE Linux Enterprise Server 11 Citrix XenServer Vmware ESXi
Power Supply	Supports 550W/700W redundant power supply or 500W/800W single power supply
Working temperature	0°C ~ 40°C
Dimensions	440mm(W) x 88mm(H) x 664 mm(D)

Ordering Information

Part Number	Model Number	Description
0020-059841	EIS-2205E- No power supply - barebone systems	EVOC 2U industrial server /Romley-EP platform/support redundant Xeon E5-2600V2 CPU /16"DIMM/ LSI Raid0,1,10 /8*3.5" Pull-out drawers hard disk box /4*GbE/ 1*COM/ 1*VGA/2*half size PCI-E x16/4*half size PCI-E x8/ guide rail
0020-060201	EIS-2205ES-R-No power supply - barebone systems	EVOC 2U industrial server /Romley-EP platform/support redundant Xeon E5-2600V2 CPU /16"DIMM/ LSI Raid0,1,10,5,6,50,60 /8*3.5" Pull-out drawers hard disk box /4*GbE/ 1*COM/ 1*VGA/2*half size PCI-E x16/4*half size PCI-E x8 / guide rail

Communications & Network Application Platform

0020-060181	EIS-2205ES- No power supply - barebone systems	EVOC 2U industrial server /Romley-EP platform/support redundant Xeon E5-2600V2 CPU /16*DIMM/ 8*3.5" Pull-out drawers hard disk box /4*GbE/ 1*COM/ 1*VGA/2*half size PCI-E x16/4*half size PCI-E x8 /guide rail
0020-060191	EIS-2205ED- No power supply - barebone systems	EVOC 2U industrial server /Romley-EP platform/support single redundant Xeon E5-2600V2 CPU /8*DIMM/8*3.5" Pull-out drawers hard disk box /4*GbE/ 1*COM/ 1*VGA/1*half size PCI-E x16/1*half size PCI-E x8 /guide rail
0010-085421	EIS-2205E-original industrial server	EVOC 2U industrial server /Romley-EP platform/2*E5-2620V2 CPU/2*8GB RDIMM/ LSI Raid0,1,10 /2*1T monitoring level hard disk/6*3.5" Pull-out drawers hard disk box /4*GbE/ 1*COM/ 1*VGA/2*half size PCI-E x16/4*half size PCI-E x8/550W redundant power supply/CD ROM
0010-087121	EIS-2205ES-R-original industrial server	EVOC 2U industrial server /Romley-EP platform/2*E5-2620V2 CPU/2*8GB RDIMM/ LSI Raid0,1,10,5,6,50,60/3*1T monitoring level hard disk/5*3.5" Pull-out drawers hard disk box /4*GbE/ 1*COM/ 1*VGA/2*half size PCI-E x16/4*half size PCI-E x8/550W redundant power supply/CD ROM
0010-087061	EIS-2205ES-original industrial server	EVOC 2U industrial server /Romley-EP platform/2*E5-2609V2 CPU/2*8GB ECC memory/ 1*1T monitoring level hard disk/7*3.5" Pull-out drawers hard disk box /4*GbE/ 1*COM/ 1*VGA/2*half size PCI-E x16/4*half size PCI-E x8/800W single power supply/CD ROM
0010-087081	EIS-2205ES-original industrial server	EVOC 2U industrial server /Romley-EP platform/1*E5-2609V2 CPU/1*8GB ECC memory/ 1*1T monitoring level hard disk/7*3.5" Pull-out drawers hard disk box /4*GbE/ 1*COM/ 1*VGA/1*half size PCI-E x16/1*half size PCI-E x8/800W single power supply/CD ROM